

GARDE

BRUSHED BRASS

Brass hand-finished with horizontal brushing. Protected with a semi-gloss transparent coating.



BRUSHED BRONZE

Brass with accelerated aging to become a bronze finish. Hand-finished with horizontal brushing. Protected with a semi-matt transparent coating.



BLACKENED BRASS

Brass with accelerated aging to become an extra dark chocolate finish. Hand-finished with horizontal brushing. Protected with a semi-matt transparent coating.



BRUSHED NICKEL

Electroplated nickel over Brass with horizontal brushing. Protected with a semi-gloss transparent coating.



POLISHED NICKEL

Electroplated Nickel over polished brass. Protected with a semi-gloss transparent coating.



Bolle Pendant 14 Small

BTPE14S

MATERIALS

Hand-blown borosilicate glass
and hand-finished or electroplated brass

WEIGHT INCL. CANOPY

Max 5 lb

POWER INPUT

110-120V 50-60Hz

LIGHT SOURCE (INCLUDED)

Proprietary Softspot V2,
8W, 1132 Lumens, 2700K warm white. CRI>90.
75% downwards and 25% upwards



BOLLE PENDANT 14 SMALL


CONFIGURATION

VERSION

SIZE (UNIT: IN)

Bolle Pendant 14 Small

BTPE14S



**Custom Stem Height available upon request*

STEP 1: METAL FINISHES (INCLUDED IN STARTING PRICE)



Brushed Brass
BR




Brushed Bronze
BZ



Blackened Brass
BK



Brushed Nickel
NK



Polished Nickel
PN

STEP 2: GLASS FINISH



Transparent
TR



Iridescent
IR



Blushed Gold
BO



Blushed Sand
SD



Blushed Peach
PC



Blushed Light Green
LG



Blushed Light Blue
LB



Blushed Smokey Grey
BG

STEP 3: SUSPENSION (Fabric flex cable or Metal Tube (39 in modules))

FABRIC FLEX CABLE

FINISH

DROP HEIGHT

CODE

Black

Max 157,5 in
Max 394 in

04B
10B



White

Max 157,5 in
Max 394 in

04W
10W



METAL TUBE (39 IN MODULES) FINISH


Matching Finish

DROP HEIGHT

SPECIFY YOUR DROP HEIGHT

20 – 39 in
39,5 – 78,5 in
79 – 118 in
118,5 – 157,5 in
up to 393,5 in

000 CM



STEP 4: CANOPY

Type of Canopy

FINISH

CODE WITH DIMMABLE STANDARD

Phasecut

0-10Volt

Recommended

Alternative dimming standard, if
required by electrician



1 Canopy: Ø5.5×H2 in
Ceiling Type: All
Driver position: Built-in

Black (9005)
White (9016)
Brushed Brass
Brushed Bronze
Blackened Brass
Brushed Nickel
Polished Nickel

BL135BP
WH135B
P
BR135BP
BZ135BP
BK135BP
NK135B
P

BL135BV
WH135B
V
BR135BV
BZ135BV
BK135BV
NK135B
V

Custom colours (RAL Classic): availability and price upon request

PN135BP

PN135B
V