

Cirque Pendant Ellipse Horizontal 75

CQPEEH75


 IP20

Materials
Transparent borosilicate glass and hand finished brass.

Weight incl. canopy
~11 lbs

Power Input
110-120V 50-60Hz




Light Source (included)
4x Proprietary Cirque LEDs.
18W, 1600 Lumens, 2700K warm white.
CRI>95.




CIRQUE PENDANT ELLIPSE HORIZONTAL 75

CONFIGURATION

STEP 1 · CHOOSE YOUR METAL FINISH

	BRUSHED BRASS
	BRUSHED BRONZE
	BLACKENED BRASS

SIZE (UNIT: IN)



STEP 2 · CHOOSE YOUR DROP HEIGHT

DROP HEIGHT


Metal tube suspension
Specify your Drop height in inches to our sales team.

Note:
No cable showing
Not adjustable on site
Minimum: 8"

MADE TO ORDER

+ **Single canopy with built-in phasecut driver.** Recommended.

W51" X D4.5" X H2"




MATCHING FINISH

PHASECUT

+ **Single canopy with built-in driver and alternative dimmable standard,** if required by electrician.

W51" X D4.5" X H2"




MATCHING FINISH

1-10 VOLT

+ **2 Canopies with built-in driver.** This requires electrician's approval.

Ø5" X H2"



MATCHING FINISH

PHASECUT

1-10 VOLT

Cirque Pendant Ellipse Horizontal 90

CQPEEH90

 IP20

Materials

Transparent borosilicate glass and hand finished brass.

Weight incl. canopy


~11.5 lbs

Power Input

110-120V 50-60Hz

Light Source (included)




4x Proprietary Cirque LEDs.
18W, 1600 Lumens, 2700K warm white.
CRI>95.




CIRQUE PENDANT ELLIPSE HORIZONTAL 90

CONFIGURATION

STEP 1 · CHOOSE YOUR METAL FINISH

	BRUSHED BRASS
	BRUSHED BRONZE
	BLACKENED BRASS

SIZE (UNIT: IN)



STEP 2 · CHOOSE YOUR DROP HEIGHT

DROP HEIGHT

Metal tube suspension

Specify your Drop height in inches to our sales team.


Note:

No cable showing
Not adjustable on site
Minimum: 8"

MADE TO ORDER

+ **Single canopy with built-in phasecut driver.** Recommended.

W57" X D4.5" X H2"




MATCHING FINISH

PHASECUT

+ **Single canopy with built-in driver and alternative dimmable standard,** if required by electrician.

W57" X D4.5" X H2"




MATCHING FINISH

1-10 VOLT

+ **2 Canopies with built-in driver.** This requires electrician's approval.

Ø5" X H2"



MATCHING FINISH

PHASECUT

1-10 VOLT

Cirque Pendant Ellipse Horizontal 120

CQPEEH120


 IP20

Materials
Transparent borosilicate glass and hand finished brass.

Weight incl. canopy
~13.5 lbs

Power Input
110-120V 50-60Hz




Light Source (included)
4x Proprietary Cirque LEDs.
18W, 3200 Lumens, 2700K warm white.
CRI>95.




CIRQUE PENDANT ELLIPSE HORIZONTAL 120

CONFIGURATION

STEP 1 - CHOOSE YOUR METAL FINISH

	BRUSHED BRASS
	BRUSHED BRONZE
	BLACKENED BRASS

SIZE (UNIT: IN)



STEP 2 - CHOOSE YOUR DROP HEIGHT

DROP HEIGHT


Metal tube suspension
Specify your Drop height in inches to our sales team.

Note:
No cable showing
Not adjustable on site
Minimum: 8"

MADE TO ORDER

+ **Single canopy with built-in phasecut driver.** Recommended.

W69" X D4.5" X H2"




MATCHING FINISH

PHASECUT

+ **Single canopy with built-in driver and alternative dimmable standard,** if required by electrician.

W69" X D4.5" X H2"




MATCHING FINISH

1-10 VOLT

+ **2 Canopies with built-in driver.** This requires electrician's approval.

Ø5" X H2"



MATCHING FINISH

PHASECUT

1-10 VOLT

Cirque Pendant Ellipse Horizontal 150

CQPEEH150


 IP20

Materials
Transparent borosilicate glass and hand finished brass.

Weight incl. canopy
~18 lbs

Power Input
110-120V 50-60Hz




Light Source (included)
4x Proprietary Cirque LEDs.
18W, 1600 Lumens, 2700K warm white.
CRI>95.




CIRQUE PENDANT ELLIPSE HORIZONTAL 150

CONFIGURATION

STEP 1 · CHOOSE YOUR METAL FINISH

	BRUSHED BRASS
	BRUSHED BRONZE
	BLACKENED BRASS

SIZE (UNIT: IN)



STEP 2 · CHOOSE YOUR DROP HEIGHT

DROP HEIGHT


Metal tube suspension
Specify your Drop height in inches to our sales team.

Note:
No cable showing
Not adjustable on site
Minimum: 8"

MADE TO ORDER

+ **Single canopy with built-in phasecut driver.** Recommended.

W82" X D4.5" X H2"




MATCHING FINISH

PHASECUT

+ **Single canopy with built-in driver and alternative dimmable standard,** if required by electrician.

W82" X D4.5" X H2"




MATCHING FINISH

1-10 VOLT

+ **2 Canopies with built-in driver.** This requires electrician's approval.

Ø5" X H2"



MATCHING FINISH

PHASECUT

1-10 VOLT

Cirque Pendant Column


CQPECM

 IP20

Materials
Transparent borosilicate glass and hand finished brass.

Power Input
110-120V 50-60Hz


Light Source (included)
2 Proprietary Cirque LEDs.
9W, 800Lumens, 2700K warm white.
CRI>95.



CIRQUE PENDANT COLUMN 90


CONFIGURATION

STEP 1 - CHOOSE YOUR SIZE SIZE (UNIT: IN)




Weight incl. canopy ~2.5 lbs
Min. Drop Height: 35.5"

CQPECM40



Weight incl. canopy ~4 lbs
Min. Drop Height: 43.5"

CQPECM60




Weight incl. canopy ~8 lbs
Min. Drop Height: 55"

CQPECM90


STEP 2 - CHOOSE YOUR METAL FINISH METAL FINISH



BRUSHED BRASS



BRUSHED BRONZE



BLACKENED BRASS

STEP 3 - CHOOSE YOUR DROP HEIGHT DROP HEIGHT

Metal tube suspension

Specify your Drop height
in inches to our sales team.

Note:
No cable showing
Not adjustable on site

MADE TO ORDER

+ Single canopy with built-in phasecut driver. Recommended.

Ø5" X H2"



MATCHING FINISH

PHASECUT

+ Single canopy with built-in driver and alternative dimmable standard, if required by electrician.

Ø5" X H2"



MATCHING FINISH

1-10 VOLT

SWITCH/PUSH

DALI

Cirque Chandelier Skyline Small

CQCHSK0S


 IP20

Materials
Transparent borosilicate glass and hand finished brass.

Weight incl. canopy
~13.5 lbs

Power Input
110-120V 50-60Hz




Light Source (included)
8x Proprietary Cirque LEDs.
36W, 3200 Lumens, 2700K warm white.
CRI>95.




CIRQUE CHANDELIER SKYLINE SMALL

CONFIGURATION

STEP 1 - CHOOSE YOUR METAL FINISH

	BRUSHED BRASS
	BRUSHED BRONZE
	BLACKENED BRASS

SIZE (UNIT: IN)



STEP 2 - CHOOSE YOUR DROP HEIGHT

DROP HEIGHT


Metal tube suspension
Specify your Drop height in inches to our sales team.

Note:
No cable showing
Not adjustable on site
Minimum: 30"

MADE TO ORDER

+ **Single canopy with built-in phasecut driver.** Recommended.

W45.5" X D4.5" X H2"




MATCHING FINISH

PHASECUT

+ **Single canopy with built-in driver and alternative dimmable standards,** if required by electrician.

W45.5" X D4.5" X H2"




MATCHING FINISH

1-10 VOLT

+ **2 Canopies with built-in driver.** This requires electrician's approval.
Requires 2 cable entrances.

Ø5" X H2"



MATCHING FINISH

PHASECUT

1-10 VOLT

Cirque Chandelier Skyline Medium

CQCHSKOM

 IP20

Materials
Transparent borosilicate glass and hand finished brass.

Weight incl. canopy
~24.5 lbs

Power Input
110-120V 50-60Hz




Light Source (included)
12x Proprietary Cirque LEDs.
54W, 4800 Lumens, 2700K warm white.
CRI>95.




CIRQUE CHANDELIER SKYLINE MEDIUM

CONFIGURATION

STEP 1 - CHOOSE YOUR METAL FINISH

	BRUSHED BRASS
	BRUSHED BRONZE
	BLACKENED BRASS

SIZE (UNIT: IN)



STEP 2 - CHOOSE YOUR DROP HEIGHT

DROP HEIGHT


Metal tube suspension
Specify your Drop height in inches to our sales team.

Note:
No cable showing
Not adjustable on site
Minimum: 49.5"

MADE TO ORDER

+ **Single canopy with built-in phasecut driver.** Recommended.

W51" X D4.5" X H2"




MATCHING FINISH

PHASECUT

+ **Single canopy with built-in driver and alternative dimmable standard,** if required by electrician.

W51" X D4.5" X H2"




MATCHING FINISH

1-10 VOLT

+ **3 Canopies with built-in driver.** This requires electrician's approval.
Requires 3 cable entrances.

Ø5" X H2"



MATCHING FINISH

PHASECUT

1-10 VOLT

Cirque Chandelier Gradient Medium

CQCHGAOM

 IP20

Materials
Transparent borosilicate glass and hand finished brass.

Weight incl. canopy
~26.5 lbs

Power Input
110-120V 50-60Hz




Light Source (included)
12x Proprietary Cirque LEDs.
54W, 4800 Lumens, 2700K warm white.
CRI>95.




CIRQUE CHANDELIER GRADIENT MEDIUM

CONFIGURATION

STEP 1 - CHOOSE YOUR METAL FINISH

	BRUSHED BRASS
	BRUSHED BRONZE
	BLACKENED BRASS

SIZE (UNIT: IN)



STEP 2 - CHOOSE YOUR DROP HEIGHT

DROP HEIGHT


Metal tube suspension
Specify your Drop height in inches to our sales team.

Note:
No cable showing
Not adjustable on site
Minimum: 20"

MADE TO ORDER

+ **Single canopy with built-in phasecut driver.** Recommended.

W51" X D4.5" X H2"




MATCHING FINISH

PHASECUT

+ **Single canopy with built-in driver and alternative dimmable standards,**
if required by electrician.

W51" X D4.5" X H2"




MATCHING FINISH

1-10 VOLT

+ **4 Canopies with built-in driver.** This requires electrician's approval.
Requires 3 cable entrances.

Ø5" X H2"



MATCHING FINISH

PHASECUT

1-10 VOLT

Cirque Chandelier Gradient Large

CQCHGA0L


 IP20

Materials
Transparent borosilicate glass and hand finished brass.

Weight incl. canopy
~35.5 lbs

Power Input
110-120V 50-60Hz




Light Source (included)
12x Proprietary Cirque LEDs.
54W, 4800 Lumens, 2700K warm white.
CRI>95.




CIRQUE CHANDELIER GRADIENT LARGE

CONFIGURATION

STEP 1 - CHOOSE YOUR METAL FINISH

	BRUSHED BRASS
	BRUSHED BRONZE
	BLACKENED BRASS

SIZE (UNIT: IN)



STEP 2 - CHOOSE YOUR DROP HEIGHT

DROP HEIGHT

Metal tube suspension
Specify your Drop height in inches to our sales team.

Note:
No cable showing
Not adjustable on site
Minimum: 20"

MADE TO ORDER


+ **Single canopy with built-in phasecut driver.** Recommended.

W69" X D4.5" X H2"



MATCHING FINISH

PHASECUT




+ **Single canopy with built-in driver and alternative dimmable standard,** if required by electrician.

W69" X D4.5" X H2"



MATCHING FINISH

1-10 VOLT



+ **4 Canopies with built-in driver.** This requires electrician's approval.
Requires 3 cable entrances.


Ø5" X H2"



MATCHING FINISH

PHASECUT

1-10 VOLT



Cirque Chandelier Gradient Extra Large

CQCHGAXL


 IP20

Materials
Transparent borosilicate glass and hand finished brass.

Weight incl. canopy
~45.5 lbs

Power Input
110-120V 50-60Hz




Light Source (included)
12x Proprietary Cirque LEDs.
54W, 4800 Lumens, 2700K warm white.
CRI>95.




CIRQUE CHANDELIER GRADIENT EXTRA LARGE

CONFIGURATION

STEP 1 - CHOOSE YOUR METAL FINISH

	BRUSHED BRASS
	BRUSHED BRONZE
	BLACKENED BRASS

SIZE (UNIT: IN)



STEP 2 - CHOOSE YOUR DROP HEIGHT

DROP HEIGHT

Metal tube suspension

Specify your Drop height in inches to our sales team.

Note:
No cable showing
Not adjustable on site
Minimum: 20"

MADE TO ORDER


+ **Single canopy with built-in phasecut driver.** Recommended.

W82" X D4.5" X H2"



MATCHING FINISH

PHASECUT




+ **Single canopy with built-in driver and alternative dimmable standards,** if required by electrician.

W82" X D4.5" X H2"



MATCHING FINISH

1-10 VOLT



+ **6 Canopies with built-in driver.** This requires electrician's approval.
Requires 3 cable entrances.


Ø5" X H2"



MATCHING FINISH

PHASECUT

1-10 VOLT



Cirque Chandelier Weave Small

CQCHWE0S

 IP20

Materials
Transparent borosilicate glass and hand finished brass.

Weight incl. canopy
~13.5 lbs

Power Input
110-120V 50-60Hz




Light Source (included)
8x Proprietary Cirque LEDs.
36W, 3200 Lumens, 2700K warm white.
CRI>95.




CIRQUE CHANDELIER WEAVE SMALL

CONFIGURATION

STEP 1 - CHOOSE YOUR METAL FINISH

	BRUSHED BRASS
	BRUSHED BRONZE
	BLACKENED BRASS

SIZE (UNIT: IN)



STEP 2 - CHOOSE YOUR DROP HEIGHT

DROP HEIGHT

Metal tube suspension
Specify your Drop height in inches to our sales team.

Note:
No cable showing
Not adjustable on site
Minimum: 53.5"

MADE TO ORDER


+ **Single canopy with built-in phasecut driver.** Recommended.

Ø12" X H2"



MATCHING FINISH

PHASECUT




+ **Single canopy with built-in driver and alternative dimmable standard**if required by electrician.

Ø12" X H2"



MATCHING FINISH

1-10 VOLT



Cirque Chandelier Weave Medium

CQCHWE0M


 IP20

Materials
Transparent borosilicate glass and hand finished brass.

Weight incl. canopy
~19 lbs

Power Input
110-120V 50-60Hz




Light Source (included)
12x Proprietary Cirque LEDs.
54W, 4800 Lumens, 2700K warm white.
CRI>95.




CIRQUE CHANDELIER WEAVE MEDIUM

CONFIGURATION

STEP 1 - CHOOSE YOUR METAL FINISH

	BRUSHED BRASS
	BRUSHED BRONZE
	BLACKENED BRASS

SIZE (UNIT: IN)



STEP 2 - CHOOSE YOUR DROP HEIGHT

DROP HEIGHT

Metal tube suspension
Specify your Drop height in inches to our sales team.

Note:
No cable showing
Not adjustable on site
Minimum: 53.5"

MADE TO ORDER


+ **Single canopy with built-in phasecut driver.** Recommended.

Ø12" X H2"



MATCHING FINISH

PHASECUT




+ **Single canopy with built-in driver and alternative dimmable standard**if required by electrician.

Ø12" X H2"



MATCHING FINISH

1-10 VOLT



Cirque Chandelier Weave Large

CQCHWE0L

 IP20

Materials
Transparent borosilicate glass and hand finished brass.

Weight incl. canopy
~27.5 lbs

Power Input
110-120V 50-60Hz




Light Source (included)
12x Proprietary Cirque LEDs.
54W, 4800 Lumens, 2700K warm white.
CRI>95.




CIRQUE CHANDELIER WEAVE LARGE

CONFIGURATION

STEP 1 - CHOOSE YOUR METAL FINISH

	BRUSHED BRASS
	BRUSHED BRONZE
	BLACKENED BRASS

SIZE (UNIT: IN)



STEP 2 - CHOOSE YOUR DROP HEIGHT

DROP HEIGHT

Metal tube suspension
Specify your Drop height in inches to our sales team.

Note:
No cable showing
Not adjustable on site
Minimum: 73"

MADE TO ORDER


+ **Single canopy with built-in phasecut driver.** Recommended.

Ø12" X H2"



MATCHING FINISH

PHASECUT




+ **Single canopy with built-in driver and alternative dimmable standard**if required by electrician.

Ø12" X H2"



MATCHING FINISH

1-10 VOLT



Cirque Chandelier Pivot Large

CQCHPV0L


 IP20

Materials
Transparent borosilicate glass and hand finished brass.

Weight incl. canopy
~24.5 lbs

Power Input
110-120V 50-60Hz




Light Source (included)
8x Proprietary Cirque LEDs.
36W, 3200 Lumens, 2700K warm white.
CRI>95.




CIRQUE CHANDELIER PIVOT LARGE

CONFIGURATION

STEP 1 - CHOOSE YOUR METAL FINISH

	BRUSHED BRASS
	BRUSHED BRONZE
	BLACKENED BRASS

SIZE (UNIT: IN)



STEP 2 - CHOOSE YOUR DROP HEIGHT

DROP HEIGHT

Metal tube suspension
Specify your Drop height in inches to our sales team.

Note:
No cable showing
Not adjustable on site
Minimum: 91"

MADE TO ORDER

+ Single canopy with built-in phasecut driver. Recommended.

Ø7" X H2"



MATCHING FINISH

PHASECUT

+ Single canopy with built-in driver and alternative dimmable standard, if required by electrician.

Ø7" X H2"



MATCHING FINISH

1-10 VOLT

Cirque Chandelier Pivot Extra Large

CQCHPVXL


 IP20

Materials
Transparent borosilicate glass and hand finished brass.

Weight incl. canopy
~31 lbs

Power Input
110-120V 50-60Hz




Light Source (included)
8x Proprietary Cirque LEDs.
36W, 3200 Lumens, 2700K warm white.
CRI>95.




CIRQUE CHANDELIER PIVOT EXTRA LARGE

CONFIGURATION

STEP 1 - CHOOSE YOUR METAL FINISH

	BRUSHED BRASS
	BRUSHED BRONZE
	BLACKENED BRASS

SIZE (UNIT: IN)



STEP 2 - CHOOSE YOUR DROP HEIGHT

DROP HEIGHT

Metal tube suspension
Specify your Drop height in inches to our sales team.

Note:
No cable showing
Not adjustable on site
Minimum: 115"

MADE TO ORDER

+ **Single canopy with built-in phasecut driver.** Recommended.

Ø7" X H2"



MATCHING FINISH

PHASECUT

+ **Single canopy with built-in driver and alternative dimmable standard,** if required by electrician.

Ø7" X H2"



MATCHING FINISH

1-10 VOLT

Cirque Ceiling/Wall Ellipse

CQCWEL40


 IP20

Materials
Transparent borosilicate glass and hand finished brass.

Weight incl. canopy
~9 lbs

Power Input
110-120V 50-60Hz




Light Source (included)
4 Proprietary Cirque LEDs.
18W, 1600Lumens, 2700K warm white.
CRI>95.




CIRQUE CEILING/WALL ELLIPSE

CONFIGURATION

STEP 1 · CHOOSE YOUR METAL FINISH

	BRUSHED BRASS
	BRUSHED BRONZE
	BLACKENED BRASS

SIZE (UNIT: IN)



STEP 2 · CHOOSE YOUR CANOPY AND DRIVER

CANOPY AND DRIVER

+ Single canopy with built-in phasecut driver. Recommended.

Ø5.5" X H1.5"



MATCHING FINISH

PHASECUT

+ Single canopy with built-in driver and alternative dimmable standards, if required by electrician.

Ø5.5" X H1.5"



MATCHING FINISH

1-10 VOLT

Cirque Wall Column

CQWACM

 IP20

Materials
Transparent borosilicate glass and hand finished brass.

Power Input
110-120V 50-60Hz

Light Source (included)
2 Proprietary Cirque LEDs.
9W, 800Lumens, 2700K warm white.
CRI>95.


Custom vertical frame dimension available on request.



CIRQUE WALL COLUMN 90

CONFIGURATION

STEP 1 - CHOOSE YOUR SIZE SIZE (UNIT: IN)



Weight incl. canopy ~5.5 lbs

CQWACM40

Weight incl. canopy ~7 lbs

CQWACM60


Weight incl. canopy ~8 lbs

CQWACM75

Weight incl. canopy ~8.5 lbs

CQWACM90


STEP 2 - CHOOSE YOUR METAL FINISH METAL FINISH



STEP 3 - CHOOSE YOUR CANOPY AND DRIVER CANOPY AND DRIVER

+ Single canopy with built-in phasecut driver. Recommended.

Ø5.5" X H1.5"




MATCHING FINISH

PHASECUT

+ Single canopy with built-in driver and alternative dimmable standard, if required by electrician.

Ø5.5" X H1.5"



MATCHING FINISH

1-10 VOLT

Cirque Floor-to-Ceiling Column

CQFCCM


 IP20

Materials
Transparent borosilicate glass and hand finished brass.

Power Input
110-120V 50-60Hz

Light Source (included)
2 Proprietary Cirque LEDs.
9W, 800Lumens, 2700K warm white.
CRI>95.

Available on request with two poles US power plug with entrance at the base. Foot switch includes dimmer. Assembled with UL/UR components. UL approved only for ceiling supply connection.




CIRQUE FLOOR-TO-CEILING COLUMN 90

CONFIGURATION


STEP 1 - CHOOSE YOUR SIZE

SIZE (UNIT: IN)



STEP 2 - CHOOSE YOUR METAL FINISH

METAL FINISH



STEP 3 - CHOOSE YOUR CEILING HEIGHT

CEILING HEIGHT

Metal tube suspension

Specify your Ceiling height in inches to our sales team.

Note:
No cable showing
Not adjustable on site

MADE TO ORDER

+ Single ceiling canopy with built-in phasecut driver. Recommended.

Ø4.5" X H4"



MATCHING FINISH

PHASECUT

+ Single ceiling canopy with built-in driver and alternative dimmable standards, if required by electrician.

Ø4.5" X H4"



MATCHING FINISH

1-10 VOLT

Cirque Floor-to-ceiling Ellipse Vertical

CQFCEV


 IP20

Materials
Transparent borosilicate glass and hand finished brass.

Power Input
110-120V 50-60Hz

Light Source (included)
4 Proprietary Cirque LEDs.
12W, 1600Lumens, 2700K warm white.
CRI>95.

Available on request with two poles US power plug with entrance at the base. Foot switch includes dimmer. Assembled with UL/UR components. UL approved only for ceiling supply connection.




CIRQUE FLOOR-TO-CEILING ELLIPSE VERTICAL 90

CONFIGURATION


STEP 1 - CHOOSE YOUR SIZE

SIZE (UNIT: IN)



STEP 2 - CHOOSE YOUR METAL FINISH

METAL FINISH



STEP 3 - CHOOSE YOUR CEILING HEIGHT

CEILING HEIGHT

Metal tube suspension

Specify your Ceiling height in inches to our sales team.

Note:
No cable showing
Not adjustable on site

MADE TO ORDER

+ Single ceiling canopy with built-in phasecut driver. Recommended.

Ø4.5" X H4"



MATCHING FINISH

PHASECUT

+ Single ceiling canopy with built-in driver and alternative dimmable standards, if required by electrician.

Ø4.5" X H4"



MATCHING FINISH

1-10 VOLT

Brushed Brass

Brass hand finished with horizontal brushing. Protected with a semi-gloss transparent coating.



Brushed Bronze

Brass with accelerated aging to become a bronze finish. Hand finished with horizontal brushing. Protected with a semi-matt transparent coating.



Blackened Brass

Brass with accelerated aging to become an extra dark chocolate finish. Hand finished with horizontal brushing. Protected with a semi-matt transparent coating.




Brushed Nickel

Electroplated nickel over Brass with horizontal brushing. Protected with a semi-gloss transparent coating.



Polished Nickel

Electroplated Nickel over polished brass. Protected with a semi-gloss transparent coating.



Custom Finish

Our products can be customized with most metal finishes, please check with our design advisors if you have any particular requirement.

Please advise if our products are to be installed close to air conditioning vents or in windy or salty air conditions.