

GARDE

**LEATHER  
SELECTION.**



# LEATHER *EARTH*


Earth is an extremely soft aniline leather featuring a silky-matt surface with a velvety tactile feel that evokes one’s senses, offering a touch of modern sophisticated elegance. Each hide is truly unique with beautiful natural markings. Over time, the leather will become smoother and shinier. In addition, it will gain a natural and lovely patina, adding both character and authenticity to the leather.




SOIL  
20360



UMBER  
20361



OXIDE  
20362



OCHRE  
20363




SAND  
20364



LIME  
20365




MARBLE  
20366




RAKU  
20367




JADE  
20368



BASALT  
20369



CLAY  
203370



SILT  
20371


### TECHNICAL INFORMATION

Composition: 100% Leather; Type: Aniline leather; Thickness: 1.2 – 1.4; Size: 5.0 – 5.5 m2; Colour fastness to light: BS EN ISO 105-B02 ≥ BWS 3; Colour fastness to rubbing: BS EN ISO 11640 Dry 50 rubs ≥3, Wet 20 rubs ≥3, Perspiration 20 rubs ≥3, Tearing strength: BS EN ISO 3377-1 >20N; Cigarette + match EU: BS EN 1021-1 and 2; Flammability: CAL TB 117-2013; Certification: OEKO-TEX®


Please note that colours displayed may vary slightly from the actual product. Therefore, we recommend requesting samples before ordering.

# LEATHER *ELITE*


The ultimate in exclusivity, Elite is the kind of leather that makes a room come alive. Firm yet flexible with visible, natural markings, it's an Aniline leather with richness and smoothness and a must-have favourite of those in the know. Each hide is truly unique in terms of the hue and the surface itself. Watch the change in tones with exposure to light and use.




BLACK  
20198



MOCCA  
20197



INDIAN RED  
20193



WALNUT  
20195


## TECHNICAL INFORMATION

Composition: 100% Leather; Type: Aniline leather; Thickness: 1.2 – 1.4; Size: 4.5 – 6.0 m2; Colour fastness to light: BS EN ISO 105-B02 ≥ BWS 3; Colour fastness to rubbing: BS EN ISO 11640 Dry 50 rubs ≥3, Wet 20 rubs ≥3, Perspiration 20 rubs ≥3, Tearing strength: BS EN ISO 3377-1 >20N; Cigarette + match EU: BS EN 1021-1 and 2; Flammability: CAL TB 117-2013

Please note that colours displayed may vary slightly from the actual product. Therefore, we recommend requesting samples before ordering.

# LEATHER *HEAVEN*

The entire approach to this lovely aniline leather is very pure and organic. A contemporary take on a classic leather, HEAVEN is terrific to touch with a subtle surface texture and distinctive markings unique to each hide. It's an extremely soft leather with a high-end look. There are natural differences in grain structure and colours that vary from hide to hide, and within each individual hide.




## TECHNICAL INFORMATION

Composition: 100% Leather; Type: Aniline leather; Thickness: 1.4 – 1.6; Size: 5.0 – 6.0 m2; Colour fastness to light: BS EN ISO 105-B02 ≥ BWS 3; Colour fastness to rubbing: BS EN ISO 11640 Dry 50 rubs ≥3, Wet 20 rubs ≥3, Perspiration 20 rubs ≥3, Tearing strength: BS EN ISO 3377-1 >20N; Cigarette + match EU: BS EN 1021-1 and 2; Flammability: CAL TB 117-2013


Please note that colours displayed may vary slightly from the actual product. Therefore, we recommend requesting samples before ordering.




ANTIQUE  
20811




DARK BROWN  
20812



CHESTNUT  
20839



BROWN  
20810




COGNAC  
20809




WALNUT  
20806



BURNED ORANGE  
20808




LIGHT BROWN  
20807




APRICOT  
20838



NATURE  
20805




BEIGE  
20840



BRICK  
20823


# LEATHER *HEAVEN*



ROSE  
20821



POSTBOX RED  
20822



ORANGE  
20818




LAVA  
20835




CAMEL  
20803




CREAM  
20802




BURGUNDY  
20824



PURPLE  
20830



VIOLET  
20820




PETROLEUM  
20831




NAVY  
20828




OCEAN  
20841




BLUSH  
20846




PINK  
20819




IVORY  
20801




CAPRI  
20827



DENIM  
20844




TURQUOISE  
20837




BLACK  
20836



MOSS  
20816




IRON  
20847



FOREST  
20832



GREEN  
20815



JADE  
20845

# LEATHER *IZAR*

Bovine of European origin, with a distressed vintage effect. This high quality article is obtained starting with nubuck leather, which is slightly levelled with aniline and hand rubbed to give an aged effect. It has a very warm and silky feel.



## TECHNICAL INFORMATION

Composition: 100% Leather, Tear strength - Single edge tear: UNI EN ISO 3377-1, Measurement Unit N, Guaranteed > = 20  
Colour fastness to rubbing - Dry 50 Cycles: UNI EN ISO 11640:1998, Measurement Unit Grey Scale, Guaranteed > = 3/4; Colour fastness to rubbing - Wet 20 Cycles: UNI EN ISO 11640:1998, Measurement Unit Grey Scale, Guaranteed > = 3; Colour fastness to rubbing - Sweat 20 Cycles: UNI EN ISO 11640:1998 ISO 11641 pH8, Measurement Unit Grey Scale, Guaranteed > = 3, Flexing endurance - Dry 50.000 Cycles: UNI EN ISO 5402, Guaranteed No damage; Color fastness to artificial light - Exposition energy 16.000 kj/sqm: UNI EN ISO 105 B02 (MET. 5), Measurement Unit Blue Scale, Guaranteed > = 3, Burning behaviour to cigarette and match flame: BS 5852:1979 BS EN 1021-1-2:2006, Guaranteed Pass

Please note that colours displayed may vary slightly from the actual product. Therefore, we recommend requesting samples before ordering.



CUOIO  
4001



CIOCCOLATO  
4002



TERRA  
4003



CARBONE  
4004



GRIGIO  
4007



CIMENT  
4009



PAPYRUS  
4010



LIGHT  
4011



CONIFER  
4013



NUAGE  
4014



BIRCH  
4018



ANTILOPE  
4019

# LEATHER *IZAR*



TORMALINA  
4020



PACIFIC  
4021



YAM  
4022



TAN  
4023



OLD COPPER  
4024




CAMEL  
4025



ANTRACITE  
4027



PIETRA  
4028



MILK CHOCOLATE  
4029

# LEATHER *KALASI*

Aniline cowhide 100% leather, produced by an accurate metal-free organic tanning process, made on bullskins of European origin. The retannage is done with tannins, the leather is vacuum dried and finished with waxes and anilines. The leather conveys uniqueness of character, the round and compact structure lends to highlighting the refinement of a silky hand, enhanced by a transparent look with soft pull-up effect.



TAUPE  
10011



TORTORA  
10015



CARAMEL  
10004



SADDLE  
10013



WENGE  
10012



EBANO  
10005



TOBAC  
10014



APRICOT  
10001



EMERALD  
10017



OXIDE  
10007



INK  
10010

## TECHNICAL INFORMATION

Composition: 100% Leather, Tear strenght - single edge tear: UNI EN ISO 3377-1, Measurement Unit N, Guaranteed > = 20; Colour fastness to rubbing - Dry 50 Cycles: UNI EN ISO 11640:1998, Measurement Unit - Grey Scale, Guaranteed > = 3; Colour fastness to rubbing - Wet 10 Cycles: UNI EN ISO 11640:1998, Measurement Unit - Grey Scale, Guaranteed > = 3; Color fastness to artificial light - Exposition energy 16.000 kj/sqm: UNI EN ISO 105 B02 (MET. 5), Measurement Unit - Grey Scale, Guaranteed > = 2, Burning behaviour to cigarette and match flame: BS EN 1021-1-2 : 2006, BS 5852:1979, Guaranteed Pass

Please note that colours displayed may vary slightly from the actual product. Therefore, we recommend requesting samples before ordering.

# LEATHER *KERAS*

Keras has a grain which varies in structure and offers outstanding comfort. It is an aniline leather with all the distinct features of the natural hide.



01065



11045



12136



13065



13066



33088



44020



91114



91115



99126

## TECHNICAL INFORMATION

Composition: 100% Leather, Tear strenght - single edge tear: UNI EN ISO 3377-1, Measurement Unit N, Guaranteed > = 20; Colour fastness to rubbing - Dry 50 Cycles: UNI EN ISO 11640:1998, Measurement Unit - Grey Scale, Guaranteed > = 3; Colour fastness to rubbing - Wet 10 Cycles: UNI EN ISO 11640:1998, Measurement Unit - Grey Scale, Guaranteed > = 3; Color fastness to artificial light - Exposition energy 16.000 kj/sqm: UNI EN ISO 105 B02 (MET. 5), Measurement Unit - Grey Scale, Guaranteed > = 2, Burning behaviour to cigarette and match flame: BS EN 1021-1-2 : 2006, BS 5852:1979, Guaranteed Pass

Please note that colours displayed may vary slightly from the actual product. Therefore, we recommend requesting samples before ordering.

# LEATHER *LIBERTAS*

Libertas is a nubuckleather with a warm and charming look. A flat anilinhide has been lightly sanded to obtain a discrete write effect. Even at the first contact the customer is surprised by the pleasant touch.



501



502



503



504



505



506



512



514



515



517

## TECHNICAL INFORMATION

Composition: 100% Leather, Origin: South-german bullhides, Thickness: 1.2/1.4 mm, Treatment: Nubuck

Please note that colours displayed may vary slightly from the actual product. Therefore, we recommend requesting samples before ordering.

# LEATHER *MAASYM*

Maasym is the finest that can be achieved in leather. A silky soft feel, exceptional transparency and, of course, 100% natural grain make this leather a true work of art. Colour variations within one hide, neck creases, insect bites and closed scars enhance the authenticity of this leather.



701



702



703



704

## TECHNICAL INFORMATION

Composition: 100% Leather, Origin: European bullhides, Thickness: 1.4/1.6 mm, Treatment: pure aniline

Please note that colours displayed may vary slightly from the actual product. Therefore, we recommend requesting samples before ordering.

# LEATHER *MARU*

Bovine of European origin in Nabuk finishing, natural grain. This leather has a grain which varies in structure and offers outstanding comfort. A hide is selected at random from every batch of finished leather. Aniline dyed, finished with high quality oils. Suede look, soft and velvet touch. The possible presence of any imperfections testify the authenticity and the natural look of pure aniline leather.



## TECHNICAL INFORMATION

Composition: 100% Leather, Tear strenght - single edge tear: UNI EN ISO 3377-1, Measurement Unit N, Guaranteed > = 20; Colour fastness to rubbing - Dry 50 Cycles: UNI EN ISO 11640:1998, Measurement Unit - Grey Scale, Guaranteed > = 3; Colour fastness to rubbing - Wet 10 Cycles: UNI EN ISO 11640:1998, Measurement Unit - Grey Scale, Guaranteed > = 3; Color fastness to artificial light - Exposition energy 16.000 kj/sqm: UNI EN ISO 105 B02 (MET. 5), Measurement Unit - Grey Scale, Guaranteed > = 2, Burning behaviour to cigarette and match flame: BS EN 1021-1-2 : 2006, BS 5852:1979, Guaranteed Pass

Please note that colours displayed may vary slightly from the actual product. Therefore, we recommend requesting samples before ordering.



CAQUI  
1701



CHOCOLATE FOREST  
1704



CHALK  
1705



CONCRETE  
1706



CUOIO  
1708



CARAMEL  
1709




PLOMO  
1710



CENERE  
1711



GRAFITE  
1712



ARDESIA  
1713



LUCKY  
1714



ELEFANT  
1715

# LEATHER *MARU*



DOESKIN  
1716



VISION  
1720




EMATITE  
1721



99111



11035



22029



33073

# LEATHER OTTO

Otto embodies the quintessence of naturalness applied to the world of luxury design. Made from full-grain European leathers, this collection features a natural grain, a very soft texture and a plush feel. Otto's authentic look is enhanced by the elegance of aniline and the great thickness, resulting in a high-end article characterised by exceptional visual and tactile refinement.



WHITE  
5001



ICE  
5002



RED STAR  
5003



BERRY  
5004



GLACEE  
5005



BROWN  
5006



COFFEE  
5007



JET BLACK  
5008



## TECHNICAL INFORMATION

Composition: 100% Leather, Thickness ~1.8 - 2.0mm; Tear strenght - single edge tear: UNI EN ISO 3377-1, Measurement Unit N, Guaranteed > = 20; Colour fastness to rubbing - Dry 500 Cycles: UNI EN ISO 11640:1998, Measurement Unit - Grey Scale, Guaranteed > = 4; Colour fastness to rubbing - Wet 80 Cycles: UNI EN ISO 11640:1998, Measurement Unit - Grey Scale, Guaranteed > = 4; Color fastness to artificial light - Exposition energy 16.000 kj/sqm: UNI EN ISO 105 B02 (MET. 5) Measurement Unit - Blue Scale, Guaranteed > = 4


Please note that colours displayed may vary slightly from the actual product. Therefore, we recommend requesting samples before ordering.

# LEATHER *POKER*


POKER is a double-sided Aniline leather with a two-in-one approach. It features one side in soft nubuck and the other side in rustic suede. While nubuck is known for its exclusive appeal and velvety-like touch, suede has an understated elegance with slightly more depth.




CHARCOAL  
30236




DARK BROWN  
30241




MINK  
30237



CEDAR  
30238




LAVENDER  
30231




MIST GREY  
30230




JADE  
30235




GOLD  
30239



CORAL  
30234



MOON  
30232



IVORY  
30240


## TECHNICAL INFORMATION

Composition: 100% Leather; Type: Aniline leather; Thickness: 1.1 – 1.3mm; Size: 4.0 – 5.0 m2; Colour fastness to light: BS EN ISO 105-B02 ≥ BWS 3; Colour fastness to rubbing: BS EN ISO 11640 Dry 50 rubs ≥3, Wet 20 rubs ≥3, Perspiration 20 rubs ≥3, Tearing strength: BS EN ISO 3377-1 >20N; Cigarette + match EU: BS EN 1021-1 and 2; Flammability: CAL TB 117-2013

Please note that colours displayed may vary slightly from the actual product. Therefore, we recommend requesting samples before ordering.

# LEATHER *PURE*

Pure stands out for its refined European-origin bovine leather with a natural appearance. Each leather, finished with a precise processing method, sports a semi-matte look and a soft texture. This collection, which combines the natural elegance of leather with high-quality finishing, promises superior resistance and colour fastness. Linea is the ideal choice for those seeking premium materials for interiors that enhance beauty and craftsmanship.



BIANCO OTTICO  
601



LATTE  
635



GHIACCIO  
666



PELLE  
664



MASTICE  
676



PANNA  
603




BEIGE  
604



MARMO  
665



STONE  
629



GREY  
626



GESSO  
634



AVORIO  
636

## TECHNICAL INFORMATION


Composition: 100% Leather, Thickness ~0.9 - 1.1mm; Tear strenght - single edge tear: UNI EN ISO 3377-1, Measurement Unit N, Guaranteed > = 20; Colour fastness to rubbing - Dry 500 Cycles: UNI EN ISO 11640:1998, Measurement Unit - Grey Scale, Guaranteed > = 4; Colour fastness to rubbing - Wet 250 Cycles: UNI EN ISO 11640:1998, Measurement Unit - Grey Scale, Guaranteed > = 4; Color fastness to artificial light - Exposition energy 16.000 kj/sqm: UNI EN ISO 105 B02 (MET. 5) Measurement Unit - Blue Scale, Guaranteed > = 5; Certificates: Der Blauer Engel, Council Directive 2014/90/EU

Please note that colours displayed may vary slightly from the actual product. Therefore, we recommend requesting samples before ordering.

# LEATHER *PURE*



CAFFELATTE  
637



WOOD  
609



NOCCIOLA  
607



MOGANO  
610



CREMA  
605



SIENA  
638




VANIGLIA  
602



PERGAMENA  
654



CIPRIA  
606



COTTO  
656



MORETTO  
646



TESTA MORO  
611



MIEL  
679



FONDOTINTA  
662



SABBIA  
628



ARANCIO  
618



ANTIC  
616



MOTTONE  
613



NEW COGNAC  
680



MARRONE  
608



MUSCAT  
681



ROSSO ANTICO  
657



BORDEAUX  
615



AMARANTO  
655

# LEATHER *PURE*



EXTRABLOOD  
704



BURGUNDY  
625




PRUGNA  
696



GRIGIO PERLA  
647



EARTH  
667



ASFALTO  
660



CONFETTO  
678



TORTORA  
659



ROSA ANTICO  
651



SOUR  
683




GIALLO  
620



ALOE  
685




GHOST  
695



CINDER  
648



FROZEN  
668



SMOKE  
639



GREEN  
631



VERDE  
621



OMBRETTO  
652



LILLA  
650



CHALKY  
663



VERDONE  
632



MASCARA  
640



OCTONE  
674

# LEATHER *PURE*



ABETE  
686



FORESTA  
658



PINO  
653



LOTUS  
641




AVIO  
643



AZZURRO  
624



MALT  
677



FANGO  
627



CASTAGNA  
612



MISTY  
672



PERSIA  
697



ELECTRO  
701



COFFEE  
682



IRIS  
673



LAVANDA  
689



DARK BLUE  
702



ACCIAIO  
630



CENERE  
669




MING  
703



NOTTE  
644



CIELO  
649



ANTRACITE  
645




NEW GREY  
675



NERO  
622

# LEATHER *RAW*

An extraordinary Aniline leather with a fascinating natural, large-grain structure. The unique imperfections of each hide are part of what makes them particularly appealing. Firm but flexible, RAW is surprisingly soft and almost velvety to the touch.



GREY  
23606



BEIGE  
23603



COGNAC  
23605



**TECHNICAL INFORMATION**

Composition: 100% Leather; Type: Aniline leather; Thickness: 1.4 – 1.6mm; Size: 2.0 – 3.0 m2; Colour fastness to light: BS EN ISO 105-B02 ≥ BWS 3; Colour fastness to rubbing: BS EN ISO 11640 Dry 50 rubs ≥3, Wet 20 rubs ≥3, Perspiration 20 rubs ≥3, Tearing strength: BS EN ISO 3377-1 >20N; Cigarette + match EU: BS EN 1021-1 and 2; Flammability: CAL TB 117-2013

Please note that colours displayed may vary slightly from the actual product. Therefore, we recommend requesting samples before ordering.

# LEATHER WAVES


An exclusive Aniline leather with a natural, raw look and a sublime, almost velvety tactile feel. Achieved via a process of sanding and applying a special type of wax to the surface. Colour tones will also vary from hide to hide and within each individual hide. Watch for a beautiful patina that will appear over time as a result of the leather's usage, exposure to daylight and interior lighting. With use, the leather will become shinier and smoother over time.



ANTHRAZITE  
21003




GREY  
21007




RACING GREEN  
21005



DARK BROWN  
21001




RUST  
21002



CAMEL  
21004




COGNAC  
21000



ECRU  
21008



ALMOND  
21009



STONE  
21010

## TECHNICAL INFORMATION

Composition: 100% Leather; Type: Aniline leather; Thickness: 1.1 – 1.3mm; Size: 4.5 – 5.5 m2; Colour fastness to light: BS EN ISO 105-B02 ≥ BWS 3; Colour fastness to rubbing: BS EN ISO 11640 Dry 50 rubs ≥3, Wet 20 rubs ≥3, Perspiration 20 rubs ≥3, Tearing strength: BS EN ISO 3377-1 >20N; Cigarette + match EU: BS EN 1021-1 and 2; Flammability: CAL TB 117-2013; Certification Blue Angel certified and OEKO-TEX® certified.

Please note that colours displayed may vary slightly from the actual product. Therefore, we recommend requesting samples before ordering.

