

COSMIC PENDANT











VERDIGRIS






COSMIC CHANDELIER






















COSMIC CAROUSEL CHANDELIER

OXIDIUM



REGOLITH



PURION





SOLSTICE TABLE LIGHTS

ORE



AURUM







SOLSTICE FLOOR LIGHTS

ORE X

NOIR X

















SOL PENDANT

DIMENSIONS ILLUMINATION

Ø 70cm (27.5") | Height 42cm (16.5") Integrated LED (No bulb required)

Ø 100cm (39.4") | Height 52cm (20.5") LED colour temperature 2700K

WEIGHT 9kg (19.8lbs) 15kg


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Satin brass;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 17W 1500Im
Input 120/240V
50,000 hours rated life


DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.















PURION PENDANT

DIMENSIONS ILLUMINATION

Ø 70cm (27.5") | Height 42cm (16.5") Integrated LED (No bulb required)

Ø 100cm (39.4") | Height 52cm (20.5") LED colour temperature 2700K

WEIGHT 9kg (19.8lbs) 15kg (33.1lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Gloss or matt white lacquer;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 17W 1500Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.















OXIDIUM PENDANT

DIMENSIONS ILLUMINATION

Ø 70cm (27.5") | Height 42cm (16.5") Integrated LED (No bulb require

Ø 100cm (39.4") | Height 52cm (20.5") LED colour temperature 2700K

WEIGHT 9kg (19.8lbs) 15kg (33.1lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Oxidised brass patina;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 17W 1500lm
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.













RUST PENDANT

DIMENSIONS ILLUMINATION

Ø 70cm (27.5") | Height 42cm (16.5") Integrated LED (No bulb required)

Ø 100cm (39.4") | Height 52cm (20.5") LED colour temperature 2700K

WEIGHT 9kg (19.8lbs) 15kg


MATERIALS Satin brass framework Hand-spun brass plate

FINISH Rust patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 17W 1500Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.













NOIR PENDANT

DIMENSIONS ILLUMINATION

Ø 70cm (27.5") | Height 42cm (16.5") Integrated LED (No bulb required)

Ø 100cm (39.4") | Height 52cm (20.5") LED colour temperature 2700K

WEIGHT 9kg (19.8lbs) 15kg (33.1lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Bronze gradient patina;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 17W 1500Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.













VERDIGRIS PENDANT

DIMENSIONS ILLUMINATION

Ø 70cm (27.5") | Height 42cm (16.5") Integrated LED (No bulb required)

Ø 100cm (39.4") | Height 52cm (20.5") LED colour temperature 2700K

WEIGHT 9kg (19.8lbs) 15kg (33.1lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Verdigris patina;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 17W 1500Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.















ORE PENDANT

DIMENSIONS ILLUMINATION

Ø 70cm (27.5") | Height 42cm (16.5") Integrated LED (No bulb required)

Ø 100cm (39.4") | Height 52cm (20.5") LED colour temperature 2700K

WEIGHT 9kg (19.8lbs) 15kg (33.1lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Bronze gradient patina;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 17W 1500Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.















PENDANT DUO SOL

DIMENSIONS ILLUMINATION

Ø 70cm (27.5") | Height 42cm (16.5") Integrated LED (No bulb required)

Ø 100cm (39.4") | Height 52cm (20.5") LED colour temperature 2700K

WEIGHT 15kg (33.1lbs) 27kg (59.5lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Satin brass;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 40W 3000lm
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.















PENDANT DUO VERDIGRIS

DIMENSIONS ILLUMINATION

Ø 70cm (27.5") | Height 42cm (16.5") Integrated LED (No bulb required)

Ø 100cm (39.4") | Height 52cm (20.5") LED colour temperature 2700K

WEIGHT 15kg (33.1lbs) 27kg (59.5lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Verdigris patina;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 40W 3000lm
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.















PENDANT DUO REGOLITH

DIMENSIONS ILLUMINATION

Ø 70cm (27.5") | Height 42cm (16.5") Integrated LED (No bulb required)

Ø 100cm (39.4") | Height 52cm (20.5") LED colour temperature 2700K

WEIGHT 15kg (33.1lbs) 27kg (59.5lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Dark bronze patina;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 40W 3000Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.

















ORE CHANDELIER

DIMENSIONS ILLUMINATION

Ø 70cm (27.5") | Height 57cm (22.4") Integrated LED (No bulb required)

Ø 100cm (39.4") | Height 75cm (29.5") LED colour temperature 2700K

WEIGHT 15kg (33.1lbs) 25kg (55.1lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Bronze patina gradient;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 2x17W 1500Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.













VERDIGRIS CHANDELIER

DIMENSIONS ILLUMINATION

Ø 70cm (27.5") | Height 57cm (22.4") Integrated LED (No bulb required)

Ø 100cm (39.4") | Height 75cm (29.5") LED colour temperature 2700K

WEIGHT 15kg (33.1lbs) 25kg (55.1lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Verdigris patina;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 2x17W 1500Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.













RUST CHANDELIER

DIMENSIONS ILLUMINATION

Ø 70cm (27.5") | Height 57cm (22.4") Integrated LED (No bulb required)

Ø 100cm (39.4") | Height 75cm (29.5") LED colour temperature 2700K

WEIGHT 15kg (33.1lbs) 25kg (55.1lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH Rust patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 2x17W 1500Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.

















REGOLITH CHANDELIER XL

DIMENSIONS Ø 70cm (27.5") | Height 85cm (33.5") Integrated LED (No bulb required) Ø 100cm (39.4") | Height 108cm (42.5") LED colour temperature 2700K

WEIGHT 35kg (44.2lbs) 40kg (88.2lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH Dark bronze patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION LED dimmable driver Output 700mA 90W 4500lm Input 120/240V 50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED Driver to be integrated into ceiling. Suspension cable 300cm (118") to be cut to size.















VERDIGRIS CHANDELIER XL

DIMENSIONS ILLUMINATION

Ø 70cm (27.5") | Height 85cm (33.5") Integrated LED (No bulb required)

Ø 100cm (39.4") | Height 108cm (42.5") LED colour temperature 2700K

WEIGHT 35kg (44.2lbs) 40kg (88.2lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Verdigris patina;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 90W 4500Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.













ORE CHANDELIER XL

DIMENSIONS ILLUMINATION

Ø 70cm (27.5") | Height 85cm (33.5") Integrated LED (No bulb required)

Ø 100cm (39.4") | Height 108cm (42.5") LED colour temperature 2700K

WEIGHT 35kg (44.2lbs) 40kg (88.2lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Bronze gradient patina;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 90W 4500lm
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.













PURION CHANDELIER XL

DIMENSIONS ILLUMINATION

Ø 70cm (27.5") | Height 85cm (33.5") Integrated LED (No bulb required)

Ø 100cm (39.4") | Height 108cm (42.5") LED colour temperature 2700K

WEIGHT 35kg (44.2lbs) 40kg (88.2lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Gloss and matt white lacquer;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 90W 4500Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.















CAROUSEL OXIDIUM CHANDELIER

DIMENSIONS Ø 100cm (39.4") Height 110cm (43.3")

WEIGHT 40kg (88.2lbs)


MATERIALS Satin brass framework Hand-spun brass plate Hand-blown glass plate

FINISH
Oxidised brass patina
Verdigris patina
Jade green to clear gradient

LEAD TIME 14-16 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 90W 4500lm
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.













CAROUSEL REGOLITH CHANDELIER

DIMENSIONS Ø 100cm (39.4") Height 110cm (43.3")

WEIGHT 40kg (88.2lbs)


MATERIALS Dark bronze framework Hand-spun brass plate Hand-blown glass plate

FINISH Dark bronze patina Rust patina Smoke grey to clear gradient

LEAD TIME 14-16 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 90W 4500lm
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.















CAROUSEL PURION CHANDELIER

DIMENSIONS Ø 100cm (39.4") Height 110cm (43.3")

WEIGHT 40kg (88.2lbs)


MATERIALS Satin brass framework Hand-spun brass plate Hand-blown glass plate

FINISH
Gloss white lacquer
Oxidised patina
High polished brass
White to clear gradient

LEAD TIME 14-16 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 90W 4500lm
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.













SOLSTICE ORE

DIMENSIONS Ø 40cm (15.7") | Height 47cm (18.5")

WEIGHT 6kg (13.2lbs)

MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Bronze patina gradient;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 12-14 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 3000K
LED mains dimmable
Output 350mA 16W 1500lm
Input 120/240V
50,000 hours rated life

SWTICH Plug with dimmer switch.













SOLSTICE NOIR

DIMENSIONS Ø 40cm (15.7") | Height 47cm (18.5")

WEIGHT 6kg (13.2lbs)

MATERIALS Dark bronze framework Hand-spun brass plate

FINISH
Dark bronze patina;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 12-14 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 3000K
LED mains dimmable
Output 350mA 16W 1500lm
Input 120/240V
50,000 hours rated life

SWTICH Plug with dimmer switch.















SOLSTICE AURUM

DIMENSIONS Ø 40cm (15.7") | Height 47cm (18.5")


WEIGHT 6kg (13.2lbs)

MATERIALS High polished brass framework Hand-spun brass plate

FINISH
High polished brass;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 12-14 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 3000K
LED mains dimmable
Output 350mA 16W 1500lm
Input 120/240V
50,000 hours rated life

SWTICH Plug with dimmer switch.















SOLSTICE ORE X

DIMENSIONS ILLUMINATION

Ø 50cm (19.7") | Height 150cm (59.1") Integrated LED (No bulb required)


WEIGHT 9kg (19.8lbs)

MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Bronze patina gradient;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 12-14 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 3000K
LED mains dimmable
Output 350mA 16W 1500Im
Input 120/240V
50,000 hours rated life

SWTICH Plug with dimmer switch.















SOLSTICE NOIR X

DIMENSIONS ILLUMINATION

Ø 50cm (19.7") | Height 150cm (59.1") Integrated LED (No bulb required)

WEIGHT 9kg (19.8lbs)

MATERIALS Dark bronze framework Hand-spun brass plate

FINISH
Dark bronze patina;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 12-14 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 3000K
LED mains dimmable
Output 350mA 16W 1500Im
Input 120/240V
50,000 hours rated life

SWTICH Plug with dimmer switch.

