



1/2
OBJECTSHEET
UL

GIZA 50 CEILING LAMP

The Giza Ceiling Lamp is handcrafted in fabric in a specialized workshop in Italy.





| DETAILS | |
|------------------|--|
| MATERIALS | FABRIC, SILK TRIMMING |
| PRODUCTION | ITALY |
| LIGHT SOURCE | 1 x E26 BASE LED BULB (NOT INCLUDED) |
| DIMMER | DIMMABLE WITH COMPATIBLE DIMMER AND DIMMABLE BULB |
| MAX WATTAGE | 10 W |
| NOMINAL VOLTAGE | 110-120 V AC, 60 HZ |
| CERTIFICATION | UL |
| INSTALLATION | HARDWIRED / CEILING MOUNTED / COMPATIBLE WITH JUNCTION BOX |
| CANOPY DIAMETER | 4.7 IN · 12 CM |
| WEIGHT | 3 KG / 6.6 LBS |
| IP RATING | IP20 |
| USAGE CONDITIONS | SUITABLE FOR DRY LOCATIONS ONLY |

1/2
OBJECTSHEET
UL



GIZA 70 X 40 CEILING LAMP

The GizaCeilingLampishandcraftedinfabricinaspecialized workshop in Italy.





| DETAILS | |
|------------------|--|
| MATERIALS | FABRIC, SILK TRIMMING |
| PRODUCTION | ITALY |
| LIGHT SOURCE | 1 x E26 BASE LED BULB (NOT INCLUDED) |
| DIMMER | DIMMABLE WITH COMPATIBLE DIMMER AND DIMMABLE BULB |
| MAX WATTAGE | 10 W |
| NOMINAL VOLTAGE | 110-120 V AC, 60 HZ |
| CERTIFICATION | UL |
| INSTALLATION | HARDWIRED / CEILING MOUNTED / COMPATIBLE WITH JUNCTION BOX |
| CANOPY DIAMETER | 4.7 IN · 12 CM |
| WEIGHT | 3 KG / 6.6 LBS |
| IP RATING | IP20 |
| USAGE CONDITIONS | SUITABLE FOR DRY LOCATIONS ONLY |

1/2
 OBJECTSHEET
 UL
GIZA 105 CEILING LAMP
 The GizaCeilingLampishandcraftedinfabricinaspecialized
 workshop in Italy.



| | |
|------------------|--|
| DETAILS | |
| MATERIALS | FABRIC, SILK TRIMMING |
| PRODUCTION | ITALY |
| LIGHT SOURCE | 4 × E26 BASE LED BULB (NOT INCLUDED) |
| DIMMER | DIMMABLE WITH COMPATIBLE DIMMER AND DIMMABLE BULB |
| MAX WATTAGE | 40 W |
| NOMINAL VOLTAGE | 110-120 V AC, 60 HZ |
| CERTIFICATION | UL |
| INSTALLATION | HARDWIRED / CEILING MOUNTED / COMPATIBLE WITH JUNCTION BOX |
| CANOPY DIAMETER | 4.7 IN · 12 CM |
| WEIGHT | 8 KG / 17.6 LBS |
| IP RATING | IP20 |
| USAGE CONDITIONS | SUITABLE FOR DRY LOCATIONS ONLY |

1/2
 OBJECTSHEET
 UL
GIZA 125 CEILING LAMP
 The Giza Ceiling Lamp is hand crafted in fabric in a specialized workshop in Italy.



| | |
|------------------|--|
| DETAILS | |
| MATERIALS | RAW SILK, SILK TRIMMING |
| PRODUCTION | ITALY |
| LIGHT SOURCE | 4 × E26 BASE LED BULB (NOT INCLUDED) |
| DIMMER | DIMMABLE WITH COMPATIBLE DIMMER AND DIMMABLE BULB |
| MAX WATTAGE | 10 W |
| NOMINAL VOLTAGE | 110-120V AC, 60 HZ |
| CERTIFICATION | UL |
| INSTALLATION | HARDWIRED / CEILING MOUNTED / COMPATIBLE WITH JUNCTION BOX |
| CANOPY DIAMETER | 4.7 IN · 12 CM |
| WEIGHT | 8 KG / 17.6 LBS |
| IP RATING | IP20 |
| USAGE CONDITIONS | SUITABLE FOR DRY LOCATIONS ONLY |

2/2
OBJECTSHEET
UL
GIZA CEILING LAMP

FABRIC



CHEYENNE - LINEN - PIERRE FREY
The full range of colors is available



CHINON II - RAW SILK - DESIGNERS GUILD
The full range of colors is available



CHAVIÈRES - POLYESTER - DESIGNERS GUILD
The full range of colors is available
Fire-retardant treated fabric