# Moonstone Pendant

MSPE



## Materials

Handmade fiberglass with marble dust finish, thermoformed glass with handmade Battuto finish.

### **Power Input**

110-120V 50-60Hz

CONFIGURATION



MOONSTONE PENDANT ARCH

STEP 1 - CHOOSE YOUR MODEL MODEL (UNIT: IN) flex flex cable flex cable cable 33" 35.5" 29.5" 18' 16.5 11" 19" 16.5" 10" 28" 9' 14.5" Light Source (not included): Light Source (not included): Light Source (not included): 2x GU10 Lightbulb, max. 8.3W 3x GU10 Lightbulb, maximum 8.3W 4x GU10 Lightbulb, maximum 8.3W Weight included canopy: Weight included canopy: Weight included canopy: ~9 lbs ~10 lbs ~11 lbs Minimum Drop Height: Minimum Drop Height: Minimum Drop Height: 24" 27.5" 21" ARCH NEST SHELL STEP 2 - CHOOSE YOUR METAL FINISH METAL FINISH

# BRUSHED BRASS BRUSHED BRONZE BLACKENED BRASS

# STEP 3 - CHOOSE YOUR SUSPENSION TYPE

# SUSPENSION TYPE

CANOPY



# STEP 4 - CHOOSE YOUR CANOPY

### + Single canopy.

Ø5" X H1.5"

Ø5" X H1.5"	WHITE	BLACK	MATCHING FINISH
	*Custom Canopy Colour (RAL Classic) available on request		
	(RAL Classic) available on request		
11 11			

# **Brass Finish**

#### **Brushed Brass**

Brass hand finished with horizontal brushing. Protected with a semi-gloss transparent coating.

### **Brushed Bronze**

Brass with accelerated aging to become a bronze finish. Hand finished with horizontal brushing. Protected with a semi-matt transparent coating.

# Blackened Brass

Brass with accelerated aging to become an extra dark chocolate finish. Hand finished with horizontal brushing. Protected with a semi-matt transparent coating.

### **Brushed Nickel**

Electroplated nickel over Brass with horizontal brushing. Protected with a semi-gloss transparent coating.

#### **Polished Nickel**

Electroplated Nickel over polished brass. Protected with a semi-gloss transparent coating.



### **Custom Finish**

Our products can be customized with most metal finishes, please check with our design advisors if you have any particular requirement.

Please advise if our products are to be installed close to air conditioning vents or in windy or salty air conditions.